





器具耦合器 <<< AC CONNECTOR



ZHJ 达威电子
DAWEI ELECTRONIC



AC-032A SERIES

SPECIFICATION:

- Connection: Rivet wire
- Wire, color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125






AC-032B SERIES

SPECIFICATION:

- Wire, color length can be customized
- With a waterproof sheath

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-032D SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire,color length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-032D7 SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire,color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-032D5 SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire,color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-032C5 SERIES

SPECIFICATION:

- Wire,color length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-032D1 SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire,color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125





AC-032C2 SERIES

SPECIFICATION:

- Wire,color length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-032D6 SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire,color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-032C6 SERIES

SPECIFICATION:

- Wire,color length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-OHQ14 SERIES

SPECIFICATION:

- Connection: in-mold injection molding

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-OHQ15 SERIES

SPECIFICATION:

- Connection: in-mold injection molding

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-033 SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire, color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-033B SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire, color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-033D SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire, color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125




AC-033G SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire, color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125






AC-033H1 SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire, color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125






AC-033M SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire, color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125







SPECIFICATION:

- Connection: in-mold injection molding
- Wire, color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125






SPECIFICATION:

- Connection: Rivet wire
- Wire, color, length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125






SPECIFICATION:

- Wire, color, length can be customized

RATING AND APPROVAL:

- 10A 250V ~ T125





AC-035A1 SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire,color,length can be customized

RATING AND APPROVAL:

- 10A 250V ~ T125




AC-035B SERIES

SPECIFICATION:

- Wire,color,length can be customized

RATING AND APPROVAL:

- 10A 250V ~ T125




AC-035A1 SERIES

SPECIFICATION:

- Connection: in-mold injection molding
- Wire,color,length can be customized

RATING AND APPROVAL:

- 10A 250V ~ T125



AC-035B1 SERIES

SPECIFICATION:

- Wire,color,length can be customized

RATINGS AND APPROVALS:

- 10A 250V ~ T125

